

# Hostname

Disbale cloud-init (which overwrites everyboot, not the first only)

```
touch /etc/cloud/cloud-init.disabled
```

Set new hostname

```
hostnamectl set-hostname ku5mon1
```

```
root@km6jump1:/home/anton# ls -la /etc/cloud/cloud-init.disabled
ls: cannot access '/etc/cloud/cloud-init.disabled': No such file or directory
root@km6jump1:/home/anton# touch /etc/cloud/cloud-init.disabled
root@km6jump1:/home/anton# ls -la /etc/cloud/cloud-init.disabled
-rw-r--r-- 1 root root 0 Feb 27 17:04 /etc/cloud/cloud-init.disabled
root@km6jump1:/home/anton# ls -la /etc/cloud/
total 32
drwxr-xr-x  5 root root  4096 Feb 27 17:04 .
drwxr-xr-x 133 root root 12288 Feb 27 17:02 ..
drwxr-xr-x  2 root root  4096 Oct 20 13:16 clean.d
-rw-r--r--  1 root root  2465 Oct 20 13:16 cloud.cfg
drwxr-xr-x  2 root root  4096 Dec  4 17:41 cloud.cfg.d
-rw-r--r--  1 root root    0 Feb 27 17:04 cloud-init.disabled
drwxr-xr-x  2 root root  4096 Dec  4 17:41 templates
root@km6jump1:/home/anton# hostnamectl set-hostname ku5mon1
root@km6jump1:/home/anton#
exit
anton@km6jump1:~ $
logout
Connection to 192.168.1.33 closed.
anton-pvt@antimba2 ~ % ssh anton@192.168.1.33
anton@192.168.1.33's password:
Linux ku5mon1 6.12.62+rpt-rpi-v8 #1 SMP PREEMPT Debian 1:6.12.62-1+rpt1 (2025-12-18) aarch64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Fri Feb 27 17:04:10 2026 from 192.168.1.34
anton@ku5mon1:~ $
```

```
shutdown -r now
```

Revision #1

Created 27 February 2026 14:07:14 by Anton

Updated 27 February 2026 14:10:06 by Anton